9000184

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pioneer Gi-Gred International, Inc.

Colherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-YEARS FROM THE DATE OF THIS GRANT, SUBJECT CANT(S) FOR THE TERM OF eighteen TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT TAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

192411

In Testimony Watherest, I have hereunts set my hand and caused the seal of the Elant Variety Protection Office to be affixed Washington, D.C. at the City of

31st day of January the year of our Lord one thousand nine hundred and ninety-two.

Ward Madigin

Plant Variety Protection Office

APPROVAL EXPIRES 2-28-88

				APPROVAL EXPIRES 2-28-88
APPLICATION FOR PLANT VA	ENT OF AGRICULT L MARKETING SER	VICE	App if a	M APPROVED: OMB NO. 0681-0068 Section is required in order to determine plant variety protection certificate is to seed (7 U.S.C. 2421). Information is
	tions on reverse)	CTION CENTIFICATE	held	confidential until certificate is issued. S.C. 2426).
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNAT	10N 3. V	ARIETY NAME
Pioneer Hi-Bred Internation	al, Inc.			9241
4. ADDRESS (Street and No. or R.F.D. No., City, 700 Capital Square 400 Locust Street	State, and Zip Code)	5. PHONE (Include area code		FOR OFFICIAL USE ONLY O NUMBER
Des Moines, IA 50309		515-270-3300		9000184
6. GENUS AND SPECIES NAME	7. FAMILY NA	 		DATE
Glycine Max	Legumino	osae	FILING	TIME
8. KIND NAME	9.	DATE OF DETERMINATION		AMOUNT FOR FILING
Soybean		ctober 1984 anuary 1988 (Incre	1 12 2	DATE 29, 1990
10. IF THE APPLICANT NAMED IS NOT A "PER partnership, association, etc.)	SON," GIVE FORM	OF ORGANIZATION (Corpora	FEES REC	AMOUNT FOR CERTIFICATE
Corporation		"	DAT January 6, 1992	
11. IF INCORPORATED, GIVE STATE OF INCO. I OWA	RPORATION			DATE OF INCORPORATION
Johnston, IA 50131-0085 14. CHECK APPROPRIATE BOX FOR EACH ATT a. Exhibit A, Origin and Breeding History b. Exhibit B, Novelty Statement. c. Exhibit C, Objective Description of Val d. Exhibit D, Additional Description of V e. Exhibit E, Statement of the Basis of Ap 15. DOES THE APPLICANT(S) SPECIFY THAT SE SEED? (See Section 83(a) of the Plant Variety is	of the Variety (See liety (Request form) ariety. plicant's Ownership. EED OF THIS VARIE Protection Act.)	Section 52 of the Plant Variety from Plant Variety Protection	e area code y Protection Office.)	Act.)
16. DOES THE APPLICANT(S) SPECIFY THAT THE LIMITED AS TO NUMBER OF GENERATION	HIS VARIETY BE S7	17. IF "YES" TO ITEM		CLASSES OF PRODUCTION
Yes X No		Foundation		gistered Certified
18. DID THE APPLICANT(S) PREVIOUSLY FIL				Yes (If "Yes," give names
				of countries and dates)
 The applicant(s) declare(s) that a viable san plenished upon request in accordance with 	iple of basic seeds	of this variety will be furnis	hed with t	[A]
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in Variety Protection Act.	vner(s) of this sexu	ally reproduced novel plant	variety, a	nd believe(s) that the variety is sions of Section 42 of the Plant
Applicant(s) is (are) informed that false rep	resentation herein	can jeopardize protection a	nd result i	n penalties.
James E. Miller			DA	5/11/90
IGNATURE OF APPLICANT			DA	TE STATE STA
-				

FORM LS-470 (3-86) Attachment: 9241 Soybean (March, 1990)

Exhibit A:

Variety 9241 evolved from a cross of Pioneer experimental line 0624-32 x variety 2981. (0624-32 was derived from [Wells x Williams] x 1677.) 9241 is an F5-derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of 9241 was grown in Ohio during the summer of 1984. Subsequently, 9241 has undergone five years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants.

Seed hila of variety 9241 are light grey in color, and under certain environmental conditions may appear yellow in color. When seeds of these types are planted, they produce plants having seeds with light grey hila color.

Seven acres of 9241 (breeders seed) were grown in 1988. 136 acres of parent seedstock (foundation seed equivalent) were grown in 1989.

Exhibit B:

Variety 9241 most closely resembles variety 9293, AP225C, AP240, B236, and HS265. However, variety 9241 is significantly earlier than 9293 (Table 1).

Variety 9241 is susceptable to race 1 of Phytophthora megasperma var. sojae whereas AP225C and HS265 are resistant.

Variety 9241 has brown pod walls whereas AP240 has tan pod walls.

Variety 9241 has high peroxidase activity whereas B236 has low peroxidase activity.

Exhibit E:

Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety 9241, for which it solicits a certificate of protection.

TABLE 1

COMP	9241	1 9293		TRAIT= days	to	maturity
R	EP X	1 x2	X1-X2	(X1-X2) ²		
	1 110 2 111 3 119 4 119 5 118 5 119 7 120 8 129 9 127	1 137 136 128 130 131 131 130 130 123 114 114 122 124 124 123 133 133	-4 -6 -3 -8 -10 -13 -4 -3 -2 -5 -4 -3 -5 -6 -5 -4 -5	16 36 9 64 100 169 16 9 25 16 9 25 36 25 9		NUMOR= 133.8 DENOM= 380 SD= 0.59338 D/SD= -8.5948 ** DF= 19
N=	2454 122.7 20		$-102 \\ -5.1$	654 32.7		

(Saybeen)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20706

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	T	
	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.	9241	9241
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Coo 700 Capital Square	(e)	FOR OFFICIAL USE ONLY
400 Locust Street	· ·	PVPO NUMBER
Des Moines, IA 50309		9000184
Choose the appropriate response which characterizes the varing your answer is fewer than the number of boxes provided, Starred characters * are considered fundamental to an adeq when information is available.	place a zero in the first box w	hen number is 9 or less (e.g. 0 0 1)
1 SEED SHADE		
	$ \tau $	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
★ 2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 * Black 5 = Other (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		·
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y'; 'Gasoy 17')	
★ 4. SEED SIZE: (Mature Seed)		
1 5 Grams per 100 seeds		
★ 5. HILUM COLOR: (Mature Seed)		
4 1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Blac	k 6 = Black 7 = Other (Specify)
★ 6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
- 1 = Type A (SP1 ^a) 2 = Type 8 (SP1 ^b)		
9. HYPOCOTYL COLOR:		
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')	bronze band below cotyledons ("W	/oodworth'; 'Tracy')
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'C	Oker Hampton 266A')	
T10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

11. LEAFLET SIZE:	
2 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17' 3 = Large ('Crawford'; 'Tracy')	1
12. LEAF COLOR:	
2 = Medium Green ('Corsoy 79'; 'Bra 3 = Dark Green ('Gnome'; 'Tracy')	ixton')
13. FLOWER COLOR:	
2 1 = White 2 = Purple 3 = White with purple throat	
14, POD COLOR:	
2 1 = Tan 2 = Brown 3 = Black	
15. PLANT PUBESCENCE COLOR:	
1 1 = Gray 2 = Brown (Tawny)	
16. PLANT TYPES:	
1 = Siender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton 3 = Bushy ('Gnome'; 'Govan')	·)
17. PLANT HABIT:	
1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. MATURITY GROUP:	
0 5 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	7 = IV 8 = V
19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
BACTERIAL DISEASES:	
★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
* 0 Bacterial Blight (Pseudomonas glycinea)	
★ 0 Wildfire (Pseudomonas tabaci)	
FUNGAL DISEASES:	
★ 0 Brown Spot (Septoria glycines)	
Frogeye Leaf Spot (Cercospora sojina)	
★ 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race	Other (Specify)
O Target Spot (Corynespora cassiicola)	
O Downy Mildew (Peronospora trifoliorum var. manshurica)	
O Powdery Mildew (Microsphaera diffusa)	
Brown Stem Rot (Cephalosporium gregatum)	

Stem Canker (Diaporthe phaseolorum var. caulivora)

19	. DISE	ASE REACTIO	N: (Enter 0 = Not	Tested; 1 = Suscep	tible; 2 =	Resistant)	(Continued)				
			SES: (Continued)								
*	0	Pod and Ste	em Blight <i>(Diaporti</i>	ne phaseolorum var;	sojae)						
	0	Purple Seed	Stain (Cercospora	kikuchii)			•				
	0	Rhizoctonia	a Root Rot (Rhizad	tonia solani)							
		Phytophtho	ra Rot <i>(Phytophth</i>	ora megasperma var	r. sojae)						
*		Race 1	1 Race 2	1 Race 3		Race 4	1 Race	5 1	Race 6	1 _F	Race 7
		Race 8	1 Race 9	1 Other (Sc	pecify)	- <u></u>					
-	VIR	AL DISEASES	;								
	0	Bud Blight (Tobacco Ringspot	Virus)						•	
	0	Yellow Mosa	aic (Bean Yellow M	osaic Virus)							
*	0	Cowpea Mos	aic (Cowpea Chlor	otic Virus)				÷			
	0	Pod Mottle (Bean Pod Mottle V	'irus)							
*	0	Seed Mottle	(Soybean Mosaic V	firus)		·					
-	NEM	ATODE DISE	ASES:								
		Soybean Cys	t Nematode (Heter	odera glycines)			· .				
*	1	Race 1	1 Race 2	1 Race 3	1	Race 4	Other	r (Specify)			
	0	Lance Nemat	tode (Hoptolaimus	Colombus)							
*	0	Southern Ro	ot Knot Nematode	(Meloidogyne incog	gnita)				•		
*	0	Northern Roc	ot Knot Nematode	(Meloidogyne Hapl	la)						
	0	Peanut Root	Knot Nematode //	feloidogyne arenaria	a)						
		Reniform Ner	matode (<i>Rotylenci</i>	nulus reniformis)							
		OTHER DISE	EASE NOT ON FO	RM (Specify):			·····				
	-					 				 	
20, 1	PHYSIO			0 = Not Tested; 1 :	= Suscept	ible; 2 ≖ Re	sistant)				
			s on Calcareous So		4						
21.				sted; 1 = Susceptibl	e; 2 = Re:	sistant)					
			Beetle (Epilachna								
	$\overline{\Box}$		iopper (Empoasca i								
		Other (Specify	//								
22. I	NDICAT	TE WHICH VA		OSELY RESEMBL	ES THAT	SUBMITT	ED.	· · · · · · · · · · · · · · · · · · ·			
		ACTER		E OF VARIETY			RACTER			F VARIET	<u> </u>
	eaf Shap		9293 9293				Coat Luster	-	9293		
	ear Shap eaf Colo		9293			Seed S			9293		
	eaf Size		9293			Seed S Seedlir	nape ng Pigmentation		9293		
			7273								6

FORM LMGS 470-57 (6-83)

P = 14 3

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Raired Comparison Data

VARIETY	NO OF DAYS MATURITY	PLANT LODGING SCORE *	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO.
				CM Width	CM Length	% Protein	% Oil	SEEDS	SEEDS/ POD
9241 Submitted	122.7	7.3	82.0	_	_	_	-	15	
9293 Name of Similar Variety	127.8	6.7	82.6		_	· -	_	14	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.
- * 9 = Upright
 - 1 = Prostrate